

Thomasville[®]

SDS Table of Contents

Thomasville Furniture Cream

Thomasville Lemon Oil

Thomasville Wood Floor Cleaner

Thomasville Kitchen Cabinet Cream

Thomasville Furniture Repair Kit

Thomasville Furniture touch up marker

1. PRODUCT AND COMPANY INFORMATION

Product Code: 444002

Product Name: Thomasville Furniture Cream

Product Use: Furniture and cabinet cleaner and polish

Parker & Bailey, Inc.
4 Walpole Park South
Walpole, MA 02081

Phone Numbers:

General Information North America: 508-660-0011
Emergency Information North America: 506-660-0011

2. HAZARDS IDENTIFICATION



Signal Word:

WARNING

Hazard Statements:

H315+H320 - Causes skin and eye irritation

Precautionary Statements:

Wear safety glasses/goggles & nitrile gloves.

Store in well-ventilated place. Keep cool.

Keep container tightly closed.

Wash hands thoroughly after handling.

Avoid release to the environment.

Dispose of contents and container in accordance with all local, regional, national and international regulations.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical attention for skin burns or if skin irritation persists.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing: Get immediate medical attention.

IF SWALLOWED: Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Do **NOT** induce vomiting. If vomiting occurs, keep head low so that stomach content does not get into the lungs. Get immediate medical attention.

Call a POISON CENTER or doctor/physician if you feel unwell.

Hazards Not Otherwise Classified:

None

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Wt %
Mineral Oil	8042-47-5	20-25

4. FIRST AID MEASURES

First Aid:

IF IN EYES: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

444002
Furniture Cream

Get immediate medical attention.

IF ON SKIN: Wash with plenty of water and soap. Get immediate medical attention for skin burns or if skin irritation persists.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, get medical/advice/attention.

IF SWALLOWED: Do **NOT** induce vomiting. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed:

May be harmful if inhaled.
Harmful if in contact with skin.
Causes serious eye damage.

Immediate medical attention and special treatment needed:

Treat symptomatically for ingestion, eyes, skin, inhalation and vital functions as needed.

5. FIREFIGHTING MEASURES

Suitable extinguishing media:

Use water spray, foam, dry chemical, or carbon dioxide.

Unsuitable extinguishing media:

Do not use a solid water stream as it may scatter and spread fire.

Hazardous combustion products:

Carbon oxides and other potentially harmful vapors and gases such as phosphoric acid mist.

Special protective equipment for firefighters:

Wear self-contained breathing apparatus for firefighting in spaces where vapors or smoke can accumulate.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment, nitrile gloves and safety glasses at a minimum. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Ensure adequate conditions as recommended when storing and handling product.

Evacuate individuals to safe areas in the event of a major release of product. Cleanup spilled material by experienced individuals.

Environmental precautions:

Prevent product from entering drain, use noncombustible absorbents, mats or berms as needed.

Contain spillage with absorbent or by wet brushing and place in container for disposal according to local regulations. Prevent further leakage or spillage if safe to do so.

If the product contaminates surface waters, groundwater, or storm/sanitary sewer. Inform respective authorities and comply with applicable cleanup requirements as required by federal/state/local regulations.

Methods and materials for containment and cleanup:

For minor spills use towels, rags, or noncombustible absorbent materials (e.g., sand, earth, diatomaceous earth, vermiculite). Dispose according to applicable regulations.

For larger spills, contain spillage using noncombustible absorbent material. Place waste product in containers for disposal according to applicable regulations. Do not vacuum.

444002
Furniture Cream

7. HANDLING & STORAGE

General Handling:

Avoid formation of aerosols and sprays.

Do not breathe vapors/mists/sprays.

Avoid contact with eyes.

Smoking, eating and drinking should be prohibited in the handling and application areas.

Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions on handling & disposal given in this Safety Data Sheet must be observed.

Storage:

No smoking.

Containers that are opened must be tightly sealed and kept upright to prevent leakage.

Store in a cool, dry, ventilated area, away from incompatible substances. Do not store near extreme heat or open flame.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

Components	OSHA PEL	OSHA PEL Skin	OSHA STEL	IDLH	NIOSH TWA	ACGIH TLV	ACGIH TLV STEL
Mineral Oil	5 mg/m ³	None	None	2,500 mg/m ³	5 mg/m ³	5 mg/m ³	None

Eye Protection PPE:

Wear safety glasses with side shields or goggles. Additional faceshield may be appropriate if overt splashing may occur.

Hand and Body Protection:

Use nitrile disposable or reusable gloves, or other glove material offering equivalent protection per manufacturer specifications for resistance and breakthrough. Apron of similar chemical resistance may be appropriate where splashing may occur.

Respiratory PPE:

No personal respiratory protection is normally required when providing adequate room ventilation or local exhaust. If respiratory PPE is provided, use cartridges for organic vapors or as recommended by respirator supplier or qualified individual.

Recommended Hygiene Practices:

Do not eat or drink while handling this product.

Do not smoke while handling this product.

Wash hands thoroughly with soap and water before breaks and end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Pale viscous liquid.

Auto-Ignition Temperature: No data available.

Boiling Point: No data available.

Decomposition: No data available.

Evaporation Rate: No data available.

Explosion Limits: No data available.

Flammability: Not flammable or combustible.

Flash Point: 350°F (177°C)

Melting Point: No data available.

Odor: Pleasant odor.

Odor Threshold: No data available.

Partition Coefficient: No data available.

pH: 8.0-8.5

Solubility: Soluble in water. Soluble in some solvents and alcohols.

444002
Furniture Cream

Stability: Stable at recommended storage temperature.

Vapor Density: 1 (Air =1).

Vapor Pressure: No data available.

Dynamic Viscosity: 15,000-20,000 cps.

Specific Gravity: 0.97

Density (lbs/gal): 8.09

10. STABILITY AND REACTIVITY

Stability:

Stable under recommended storage and handling conditions.

Reactivity:

None identified when handled and stored under recommended conditions.

Hazardous Reactions:

May react with strong acids and caustics and their mixtures.

Conditions to Avoid:

None identified during recommended handling & storage.

Incompatible Materials:

Avoid contact with other strong acids, oxidizing agents and caustics.

Hazardous Decomposition Products:

May include, and are not limited to oxides of carbon and nitrogen.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

No data available for product.

Mineral Oil 8042-47-5

Oral LD50 - Rat - >5,000 mg/kg

Dermal LD50 - Rabbit – No data available.

Inhalation LC50 - Rat - 4h – No data available.

Eye Damage/Irritation:

Can cause minor eye irritation.

Skin Corrosion/Irritation:

May cause minor skin irritation.

Sensitization:

Skin: Not expected to cause allergic skin reactions.

Respiratory: May cause respiratory irritation.

Repeated Dose Toxicity:

The following organs may be affected: eyes, skin, mouth, throat, respiratory system & lungs.

Chronic Toxicity:

IARC: No components in concentrations greater than 0.1% are listed.

NTP: No components in concentrations greater than 0.1% are listed.

OSHA: No components in concentrations greater than 0.1% are listed.

444002
Furniture Cream

Source Classifications

IARC	International Agency for Research on Cancer
	1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable 4 - Probably not carcinogenic to humans
NTP	National Toxicology Program
	1 - Evidence of Carcinogenicity 2 - Known Human Carcinogens 3 - Reasonably anticipated to be Human Carcinogen 4 - Substances delisted from report on Carcinogens 5 - Twelfth Report - Items under consideration

Developmental Toxicity:

No data on birth defects at component concentrations used in this product.

Reproductive Toxicity:

No data available for component concentrations used in product.

Genetic Toxicology:

No data available for component concentrations used in product.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available for product.

Mineral Oil 8042-47-5

Toxicity to fish LC50 - 96h - >10,000 mg/L

Environmental Persistence/Degradation:

No data available for product.

Bioaccumulation Potential:

Octanol-water partition: No data available.

Bioconcentration factor (BCF): No data available.

Potential Movement from Soil to Groundwater:

Potential for product or its components to move from the soil to the groundwater. No data available.

Generally, liquid phase of product may move through soil to groundwater interface. Liquid phase components may dissolve in groundwater and/or float on top of it.

Other Adverse Effects:

Environmental fate: No data available.

Ozone layer depletion potential: No data available.

Photochemical ozone creation potential: No data available.

Endocrine disruption potential: No data available.

Global Warning Potential: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment:

Dispose of in accordance with applicable national, regional and local regulations.

Contact a licensed hazardous waste disposal service to dispose of this material. properly

Do not landfill waste product without treatment according to applicable regulations.

444002
Furniture Cream

14. TRANSPORT INFORMATION

USDOT: Not regulated.
IMDG: Not regulated as dangerous goods.
IATA: Not regulated as dangerous goods.

Special Transportation Precautions:

No special precautions required during normal transport and handling.

Marine Pollutant:

Not a marine pollutant.

15. REGULATORY INFORMATION

The following chemical(s) are subject to reporting requirements of Proposition 65:

Component	Wt %
This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.	

The following chemical(s) are subject to reporting requirements of SARA Title III Section 313:

Component	Wt %
This product does not contain components regulated under Section 313.	

The following chemical(s) are regulated as Hazardous Air Pollutants (HAPs):

Component	Wt %
This product does not contain components regulated as Hazardous Air Pollutants.	

US TSCA Inventory:

The components in this product are on the inventory.

Canadian Domestic Substances List (DSL):

This product contains components on the list.

Hazard Warnings:

NFPA Health 1 Flammability 0 Instability 0
HMIS Health 1 Flammability 0 Physical 0

16. OTHER INFORMATION

User Responsibility and Disclaimer of Liability:

This document has been prepared in accordance with the OSHA Hazard Communication Standard 2012. The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Safety Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The Manufacturer will not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of, or in connection with, the accuracy, completeness, or adequacy of the information obtained herein. It is intended to assist in the normal safe usage of the product.

Health & Safety:

Users should consider these data only as a supplement to user's own workplace risk assessment. Users must make independent determinations of suitability and completeness of information from all sources to assure proper product use; print applications; safety and health of employees and customers; disposal of waste product; and protection of the environment. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist when the customer uses the product. All chemical products present unknown chemical, physical

444002
Furniture Cream

and health hazards that should be used with caution.

Product Storage:

This product will remain stable for use if the original container is properly sealed, stored upright, and not exposed to temperatures below 65°F and above 90°F or otherwise noted on the container instructions.

Revision Date: January 1, 2020

1. PRODUCT AND COMPANY INFORMATION

Product Code: 442008

Product Name: Thomasville Lemon Oil

Product Use: Furniture polish

Parker & Bailey, Inc.
4 Walpole Park South
Walpole, MA 02081

Phone Numbers:

General Information North America: 508-660-0011
Emergency Information North America: 506-660-0011

2. HAZARDS IDENTIFICATION



Signal Word:

WARNING

Hazard Statements:

H315+H320 - Causes skin and eye irritation

Precautionary Statements:

Wear safety glasses/goggles & nitrile gloves.

Store in well-ventilated place. Keep cool.

Keep container tightly closed.

Wash hands thoroughly after handling.

Avoid release to the environment.

Dispose of contents and container in accordance with all local, regional, national and international regulations.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical attention for skin burns or if skin irritation persists.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing: Get immediate medical attention.

IF SWALLOWED: Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Do **NOT** induce vomiting. If vomiting occurs, keep head low so that stomach content does not get into the lungs. Get immediate medical attention.

Call a POISON CENTER or doctor/physician if you feel unwell.

Hazards Not Otherwise Classified:

None

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Wt %
Mineral Oil	8042-47-5	95-98

4. FIRST AID MEASURES

First Aid:

IF IN EYES: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

442008
Lemon Oil

Get immediate medical attention.

IF ON SKIN: Wash with plenty of water and soap. Get immediate medical attention for skin burns or if skin irritation persists.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, get medical/advice/attention.

IF SWALLOWED: Do **NOT** induce vomiting. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed:

May be harmful if inhaled.
Harmful if in contact with skin.
Causes serious eye damage.

Immediate medical attention and special treatment needed:

Treat symptomatically for ingestion, eyes, skin, inhalation and vital functions as needed.

5. FIREFIGHTING MEASURES

Suitable extinguishing media:

Use water spray, foam, dry chemical, or carbon dioxide.

Unsuitable extinguishing media:

Do not use a solid water stream as it may scatter and spread fire.

Hazardous combustion products:

Carbon oxides and other potentially harmful vapors and gases such as phosphoric acid mist.

Special protective equipment for firefighters:

Wear self-contained breathing apparatus for firefighting in spaces where vapors or smoke can accumulate.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment, nitrile gloves and safety glasses at a minimum. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Ensure adequate conditions as recommended when storing and handling product.

Evacuate individuals to safe areas in the event of a major release of product. Cleanup spilled material by experienced individuals.

Environmental precautions:

Prevent product from entering drain, use noncombustible absorbents, mats or berms as needed.

Contain spillage with absorbent or by wet brushing and place in container for disposal according to local regulations. Prevent further leakage or spillage if safe to do so.

If the product contaminates surface waters, groundwater, or storm/sanitary sewer. Inform respective authorities and comply with applicable cleanup requirements as required by federal/state/local regulations.

Methods and materials for containment and cleanup:

For minor spills use towels, rags, or noncombustible absorbent materials (e.g., sand, earth, diatomaceous earth, vermiculite). Dispose according to applicable regulations.

For larger spills, contain spillage using noncombustible absorbent material. Place waste product in containers for disposal according to applicable regulations. Do not vacuum.

442008
Lemon Oil

7. HANDLING & STORAGE

General Handling:

Avoid formation of aerosols and sprays.

Do not breathe vapors/mists/sprays.

Avoid contact with eyes.

Smoking, eating and drinking should be prohibited in the handling and application areas.

Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions on handling & disposal given in this Safety Data Sheet must be observed.

Storage:

No smoking.

Containers that are opened must be tightly sealed and kept upright to prevent leakage.

Store in a cool, dry, ventilated area, away from incompatible substances. Do not store near extreme heat or open flame.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

Components	OSHA PEL	OSHA PEL Skin	OSHA STEL	IDLH	NIOSH TWA	ACGIH TLV	ACGIH TLV STEL
Mineral Oil	5 mg/m ³	None	None	2,500 mg/m ³	5 mg/m ³	5 mg/m ³	None

Eye Protection PPE:

Wear safety glasses with side shields or goggles. Additional faceshield may be appropriate if overt splashing may occur.

Hand and Body Protection:

Use nitrile disposable or reusable gloves, or other glove material offering equivalent protection per manufacturer specifications for resistance and breakthrough. Apron of similar chemical resistance may be appropriate where splashing may occur.

Respiratory PPE:

No personal respiratory protection is normally required when providing adequate room ventilation or local exhaust. If respiratory PPE is provided, use cartridges for organic vapors or as recommended by respirator supplier or qualified individual.

Recommended Hygiene Practices:

Do not eat or drink while handling this product.

Do not smoke while handling this product.

Wash hands thoroughly with soap and water before breaks and end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Yellow liquid.

Auto-Ignition Temperature: No data available.

Boiling Point: No data available.

Decomposition: No data available.

Evaporation Rate: No data available.

Explosion Limits: No data available.

Flammability: Not flammable or combustible.

Flash Point: 350°F (177°C)

Melting Point: No data available.

Odor: Pleasant odor.

Odor Threshold: No data available.

Partition Coefficient: No data available.

pH: Not applicable.

Solubility: Soluble in solvent. Very low solubility in water.

442008
Lemon Oil

Stability: Stable at recommended storage temperature.

Vapor Density: 1 (Air =1).

Vapor Pressure: No data available.

Kinematic Viscosity: No data available.

Specific Gravity: 0.86

Density (lbs/gal): 7.17

10. STABILITY AND REACTIVITY

Stability:

Stable under recommended storage and handling conditions.

Reactivity:

None identified when handled and stored under recommended conditions.

Hazardous Reactions:

May react with strong acids and caustics and mixtures.

Conditions to Avoid:

None identified during recommended handling & storage.

Incompatible Materials:

Avoid contact with other strong acids, oxidizing agents and caustics.

Hazardous Decomposition Products:

May include and are not limited to oxides of carbon and nitrogen.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

No data available for product.

Mineral Oil 8042-47-5

Oral LD50 - Rat - >5,000 mg/kg

Dermal LD50 - Rabbit – No data available.

Inhalation LC50 - Rat - 4h – No data available.

Eye Damage/Irritation:

Can cause minor eye irritation.

Skin Corrosion/Irritation:

May cause minor skin irritation.

Sensitization:

Skin: Not expected to cause allergic skin reactions.

Respiratory: May cause respiratory irritation.

Repeated Dose Toxicity:

The following organs may be affected: eyes, skin, mouth, throat, respiratory system & lungs.

Chronic Toxicity:

IARC: No components in concentrations greater than 0.1% are listed.

NTP: No components in concentrations greater than 0.1% are listed.

OSHA: No components in concentrations greater than 0.1% are listed.

442008
Lemon Oil

Source Classifications

IARC	International Agency for Research on Cancer
	1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable 4 - Probably not carcinogenic to humans
NTP	National Toxicology Program
	1 - Evidence of Carcinogenicity 2 - Known Human Carcinogens 3 - Reasonably anticipated to be Human Carcinogen 4 - Substances delisted from report on Carcinogens 5 - Twelfth Report - Items under consideration

Developmental Toxicity:

No data on birth defects at component concentrations used in this product.

Reproductive Toxicity:

No data available for component concentrations used in product.

Genetic Toxicology:

No data available for component concentrations used in product.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available for product.

Mineral Oil 8042-47-5

Toxicity to fish LC50 - 96h - >10,000 mg/L

Environmental Persistence/Degradation:

No data available for product.

Bioaccumulation Potential:

Octanol-water partition: No data available.

Bioconcentration factor (BCF): No data available.

Potential Movement from Soil to Groundwater:

Potential for product or its components to move from the soil to the groundwater. No data available.

Generally, liquid phase of product may move through soil to groundwater interface. Liquid phase components may dissolve in groundwater and/or float on top of it.

Other Adverse Effects:

Environmental fate: No data available.

Ozone layer depletion potential: No data available.

Photochemical ozone creation potential: No data available.

Endocrine disruption potential: No data available.

Global Warning Potential: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment:

Dispose of in accordance with applicable national, regional and local regulations.

Contact a licensed hazardous waste disposal service to dispose of this material. properly

Do not landfill waste product without treatment according to applicable regulations.

442008
Lemon Oil

14. TRANSPORT INFORMATION

USDOT: Not regulated.
IMDG: Not regulated as dangerous goods.
IATA: Not regulated as dangerous goods.

Special Transportation Precautions:

No special precautions required during normal transport and handling.

Marine Pollutant:

Not a marine pollutant.

15. REGULATORY INFORMATION

The following chemical(s) are subject to reporting requirements of Proposition 65:

Component	Wt %
This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.	

The following chemical(s) are subject to reporting requirements of SARA Title III Section 313:

Component	Wt %
This product does not contain components regulated under Section 313.	

The following chemical(s) are regulated as Hazardous Air Pollutants (HAPs):

Component	Wt %
This product does not contain components regulated as Hazardous Air Pollutants.	

US TSCA Inventory:

The components in this product are on the inventory.

Canadian Domestic Substances List (DSL):

This product contains components on the list.

Hazard Warnings:

NFPA Health 1 Flammability 0 Instability 0
HMIS Health 1 Flammability 0 Physical 0

16. OTHER INFORMATION

User Responsibility and Disclaimer of Liability:

This document has been prepared in accordance with the OSHA Hazard Communication Standard 2012. The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Safety Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The Manufacturer will not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of, or in connection with, the accuracy, completeness, or adequacy of the information obtained herein. It is intended to assist in the normal safe usage of the product.

Health & Safety:

Users should consider these data only as a supplement to user's own workplace risk assessment. Users must make independent determinations of suitability and completeness of information from all sources to assure proper product use; print applications; safety and health of employees and customers; disposal of waste product; and protection of the environment. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist when the customer uses the product. All chemical products present unknown chemical, physical

442008
Lemon Oil

and health hazards that should be used with caution.

Product Storage:

This product will remain stable for use if the original container is properly sealed, stored upright, and not exposed to temperatures below 65°F and above 90°F or otherwise noted on the container instructions.

Revision Date: January 1,2020

1. PRODUCT AND COMPANY INFORMATION

Product Code: 440008U, 440008UT, 440008

Product Name: Thomasville Wood Floor Cleaner

Product Use: Wood floor cleaner

Parker & Bailey, Inc.
4 Walpole Park South
Walpole, MA 02081

Phone Numbers:

General Information North America: 508-660-0011

Emergency Information North America: 506-660-0011

2. HAZARDS IDENTIFICATION



Signal Word:

WARNING

Hazard Statements:

H320 - Causes eye irritation

Precautionary Statements:

Wear safety glasses/goggles & nitrile gloves.

Store in well-ventilated place. Keep cool.

Keep container tightly closed.

Wash hands thoroughly after handling.

Avoid release to the environment.

Dispose of contents and container in accordance with all local, regional, national and international regulations.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical attention if skin irritation persists.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing: Get immediate medical attention.

IF SWALLOWED: Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Do **NOT** induce vomiting. If vomiting occurs, keep head low so that stomach content does not get into the lungs. Get immediate medical attention.

Call a POISON CENTER or doctor/physician if you feel unwell.

Hazards Not Otherwise Classified:

None

3. COMPOSITION / INFORMATION ON INGREDIENTS

No hazardous components identified.

4. FIRST AID MEASURES

First Aid:

IF IN EYES: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Get immediate medical attention.

IF ON SKIN: Wash with plenty of water and soap. Get immediate medical attention if skin irritation persists.

440008U, 440008UT, 440008
Wood Floor Cleaner

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, get medical/ advice/attention.

IF SWALLOWED: Do **NOT** induce vomiting. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed:

May be harmful if inhaled.
Harmful if in contact with skin.
Causes serious eye damage.

Immediate medical attention and special treatment needed:

Treat symptomatically for ingestion, eyes, skin, inhalation and vital functions as needed.

5. FIREFIGHTING MEASURES

Suitable extinguishing media:

Use water spray, foam, dry chemical, or carbon dioxide.

Unsuitable extinguishing media:

Do not use a solid water stream as it may scatter and spread fire.

Hazardous combustion products:

Carbon oxides and other potentially harmful vapors and gases such as phosphoric acid mist.

Special protective equipment for firefighters:

Wear self-contained breathing apparatus for firefighting in spaces where vapors or smoke can accumulate.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment, nitrile gloves and safety glasses at a minimum. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Ensure adequate conditions as recommended when storing and handling product.

Evacuate individuals to safe areas in the event of a major release of product. Cleanup spilled material by experienced individuals.

Environmental precautions:

Prevent product from entering drain, use noncombustible absorbents, mats or berms as needed.

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations. Prevent further leakage or spillage if safe to do so.

If the product contaminates surface waters, groundwater, or storm/sanitary sewer: inform respective authorities and comply with applicable cleanup requirements as required by federal/state/local regulations.

Methods and materials for containment and cleanup:

For minor spills use towels, rags, or noncombustible absorbent materials (e.g., sand, earth, diatomaceous earth, vermiculite). Dispose according to applicable regulations.

For larger spills, contain spillage using noncombustible absorbent material and place with any waste product in containers for disposal according to applicable regulations. Do not vacuum.

7. HANDLING & STORAGE

General Handling:

Avoid formation of aerosols and sprays.
Do not breathe vapors/mists/sprays.
Avoid contact with eyes.

440008U, 440008UT, 440008
Wood Floor Cleaner

Smoking, eating and drinking should be prohibited in the handling and application areas. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions on handling & disposal given in this Safety Data Sheet must be observed.

Storage:

No smoking.
Containers that are opened must be tightly sealed and kept upright to prevent leakage.
Store in a cool, dry, ventilated area, away from incompatible substances. Do not store near extreme heat or open flame.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

No exposure limits for listed hazardous components.

Eye Protection PPE:

Wear safety glasses with side shields or goggles. Additional faceshield may be appropriate if overt splashing may occur.

Hand and Body Protection:

Use nitrile disposable or reusable gloves, or other glove material offering equivalent protection per manufacturer specifications for resistance and breakthrough. Apron of similar chemical resistance may be appropriate where splashing may occur.

Respiratory PPE:

No personal respiratory protection is normally required when providing adequate room ventilation or local exhaust. If respiratory PPE is provided, use cartridges for organic vapors or as recommended by respirator supplier or qualified individual.

Recommended Hygiene Practices:

Do not eat or drink while handling this product.
Do not smoke while handling this product.
Wash hands thoroughly with soap and water before breaks and end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Orange liquid.
Auto-Ignition Temperature: No data available.
Boiling Point: No data available.
Decomposition: No data available.
Evaporation Rate: No data available.
Explosion Limits: No data available.
Flammability: Not flammable or combustible.
Flash Point: Not applicable.
Melting Point: No data available.
Odor: Pleasant odor.
Odor Threshold: No data available.
Partition Coefficient: No data available.
pH: 8.3-8.5
Solubility: Soluble in water. Very low solubility in solvent.
Stability: Stable at recommended storage temperature.
Vapor Density: 1 (Air =1).
Vapor Pressure: No data available.
Kinematic Viscosity: No data available.
Specific Gravity: 1.0
Density (lbs/gal): 8.34
VOC Content %Weight: 0.4

440008U, 440008UT, 440008
Wood Floor Cleaner

10. STABILITY AND REACTIVITY

Stability:

Stable under recommended storage and handling conditions.

Reactivity:

None identified when handled and stored under recommended conditions.

Hazardous Reactions:

Contains phosphoric acid which may react with caustics and other high pH substances and mixtures.

Conditions to Avoid:

None identified during recommended handling & storage.

Incompatible Materials:

Avoid contact with other strong acids, oxidizing agents and caustics.

Hazardous Decomposition Products:

May include, and are not limited to: oxides of carbon, and phosphoric acid mists.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

No data available for product.

Eye Damage/Irritation:

Can cause serious eye damage.

Skin Corrosion/Irritation:

Can cause moderate to serious skin irritation depending on period of exposure. Prolonged exposure may cause skin irritation, rashes, & dryness.

Sensitization:

Skin: Not expected to cause allergic skin reactions.

Respiratory: May cause respiratory irritation.

Repeated Dose Toxicity:

The following organs may be affected: eyes, skin, mouth, throat, respiratory system & lungs.

Chronic Toxicity:

IARC: No components in concentrations greater than 0.1% are listed.

NTP: No components in concentrations greater than 0.1% are listed.

OSHA: No components in concentrations greater than 0.1% are listed.

Source Classifications

IARC	International Agency for Research on Cancer
	1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable 4 - Probably not carcinogenic to humans
NTP	National Toxicology Program
	1 - Evidence of Carcinogenicity 2 - Known Human Carcinogens 3 - Reasonably anticipated to be Human Carcinogen 4 - Substances delisted from report on Carcinogens 5 - Twelfth Report - Items under consideration

440008U, 440008UT, 440008
Wood Floor Cleaner

Developmental Toxicity:

No data on birth defects at component concentrations used in this product.

Reproductive Toxicity:

No data available for component concentrations used in product.

Genetic Toxicology:

No data available for component concentrations used in product.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available for product.

Environmental Persistence/Degradation:

No data available for product.

Bioaccumulation Potential:

Octanol-water partition: No data available.

Bioconcentration factor (BCF): No data available.

Potential Movement from Soil to Groundwater:

Potential for product or its components to move from the soil to the groundwater. No data available.

Generally, liquid phase of product may move through soil to groundwater interface. Liquid phase components may dissolve in groundwater and/or float on top of it.

Other Adverse Effects:

Environmental fate: No data available.

Ozone layer depletion potential: No data available.

Photochemical ozone creation potential: No data available.

Endocrine disruption potential: No data available.

Global Warning Potential: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment:

Dispose of in accordance with applicable national, regional and local regulations.

Contact a licensed hazardous waste disposal service to properly dispose of this material.

Do not landfill waste product without treatment according to applicable regulations.

14. TRANSPORT INFORMATION

USDOT: Not regulated.

IMDG: Not regulated as dangerous goods.

IATA: Not regulated as dangerous goods.

Special Transportation Precautions:

No special precautions required during normal transport and handling.

Marine Pollutant:

Not a marine pollutant.

440008U, 440008UT, 440008
Wood Floor Cleaner

15. REGULATORY INFORMATION

The following chemical(s) are subject to reporting requirements of Proposition 65:

Component	Wt %
This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.	

The following chemical(s) are subject to reporting requirements of SARA Title III Section 313:

Component	Wt %
This product does not contain components regulated under Section 313.	

The following chemical(s) are regulated as Hazardous Air Pollutants (HAPs):

Component	Wt %
This product does not contain components regulated as Hazardous Air Pollutants.	

US TSCA Inventory:

The components in this product are on the inventory.

Canadian Domestic Substances List (DSL):

This product contains components on the list.

Hazard Warnings:

NFPA Health 1 Flammability 0 Instability 0

HMIS Health 1 Flammability 0 Physical 0

16. OTHER INFORMATION

User Responsibility and Disclaimer of Liability:

This document has been prepared in accordance with the OSHA Hazard Communication Standard 2012. The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Safety Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The Manufacturer shall not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of, or in connection with, the accuracy, completeness, or adequacy of the information obtained herein. It is intended to assist in the normal safe usage of the product.

Health & Safety:

Users should consider these data only as a supplement to user's own workplace risk assessment. Users must make independent determinations of suitability and completeness of information from all sources to assure proper product use; print applications; safety and health of employees and customers; disposal of waste product; and protection of the environment. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist when the customer uses the product. All chemical products may present unknown chemical, physical and health hazards and should be used with caution.

Product Storage:

This product will remain stable for use if the original container is properly sealed, stored upright, and not exposed to temperatures below 65°F and above 90°F or otherwise noted on the container instructions.

Revision Date: July 9, 2018

1. PRODUCT AND COMPANY INFORMATION

Product Code: 443005

Product Name: Thomasville Kitchen Cabinet Cream

Product Use: Kitchen cabinet cleaner and polish

Parker & Bailey, Inc.
4 Walpole Park South
Walpole, MA 02081

Phone Numbers:

General Information North America: 508-660-0011
Emergency Information North America: 506-660-0011

2. HAZARDS IDENTIFICATION



Signal Word:

WARNING

Hazard Statements:

H315+H320 - Causes skin and eye irritation

Precautionary Statements:

Wear safety glasses/goggles & nitrile gloves.
Store in well-ventilated place. Keep cool.
Keep container tightly closed.
Wash hands thoroughly after handling.
Avoid release to the environment.
Dispose of contents and container in accordance with all local, regional, national and international regulations.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical attention for skin burns or if skin irritation persists.
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing: Get immediate medical attention.
IF SWALLOWED: Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person. Do **NOT** induce vomiting. If vomiting occurs, keep head low so that stomach content does not get into the lungs. Get immediate medical attention.
Call a POISON CENTER or doctor/physician if you feel unwell.

Hazards Not Otherwise Classified:

None

3. COMPOSITION / INFORMATION ON INGREDIENTS

Component	CAS Number	Wt %
Mineral Oil	8042-47-5	20-25

4. FIRST AID MEASURES

First Aid:

IF IN EYES: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do.

443005
Kitchen Cabinet Cream

Get immediate medical attention.

IF ON SKIN: Wash with plenty of water and soap. Get immediate medical attention for skin burns or if skin irritation persists.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, get medical/advice/attention.

IF SWALLOWED: Do **NOT** induce vomiting. Get immediate medical attention.

Most important symptoms and effects, both acute and delayed:

May be harmful if inhaled.
Harmful if in contact with skin.
Causes serious eye damage.

Immediate medical attention and special treatment needed:

Treat symptomatically for ingestion, eyes, skin, inhalation and vital functions as needed.

5. FIREFIGHTING MEASURES

Suitable extinguishing media:

Use water spray, foam, dry chemical, or carbon dioxide.

Unsuitable extinguishing media:

Do not use a solid water stream as it may scatter and spread fire.

Hazardous combustion products:

Carbon oxides and other potentially harmful vapors and gases such as phosphoric acid mist.

Special protective equipment for firefighters:

Wear self-contained breathing apparatus for firefighting in spaces where vapors or smoke can accumulate.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment, nitrile gloves and safety glasses at a minimum. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Ensure adequate conditions as recommended when storing and handling product.

Evacuate individuals to safe areas in the event of a major release of product. Cleanup spilled material by experienced individuals.

Environmental precautions:

Prevent product from entering drain, use noncombustible absorbents, mats or berms as needed.

Contain spillage with absorbent or by wet brushing and place in container for disposal according to local regulations. Prevent further leakage or spillage if safe to do so.

If the product contaminates surface waters, groundwater, or storm/sanitary sewer. Inform respective authorities and comply with applicable cleanup requirements as required by federal/state/local regulations.

Methods and materials for containment and cleanup:

For minor spills use towels, rags, or noncombustible absorbent materials (e.g., sand, earth, diatomaceous earth, vermiculite). Dispose according to applicable regulations.

For larger spills, contain spillage using noncombustible absorbent material. Place waste product in containers for disposal according to applicable regulations. Do not vacuum.

443005
Kitchen Cabinet Cream

7. HANDLING & STORAGE

General Handling:

Avoid formation of aerosols and sprays.

Do not breathe vapors/mists/sprays.

Avoid contact with eyes.

Smoking, eating and drinking should be prohibited in the handling and application areas.

Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions on handling & disposal given in this Safety Data Sheet must be observed.

Storage:

No smoking.

Containers that are opened must be tightly sealed and kept upright to prevent leakage.

Store in a cool, dry, ventilated area, away from incompatible substances. Do not store near extreme heat or open flame.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:

Components	OSHA PEL	OSHA PEL Skin	OSHA STEL	IDLH	NIOSH TWA	ACGIH TLV	ACGIH TLV STEL
Mineral Oil	5 mg/m ³	None	None	2,500 mg/m ³	5 mg/m ³	5 mg/m ³	None

Eye Protection PPE:

Wear safety glasses with side shields or goggles. Additional faceshield may be appropriate if overt splashing may occur.

Hand and Body Protection:

Use nitrile disposable or reusable gloves, or other glove material offering equivalent protection per manufacturer specifications for resistance and breakthrough. Apron of similar chemical resistance may be appropriate where splashing may occur.

Respiratory PPE:

No personal respiratory protection is normally required when providing adequate room ventilation or local exhaust. If respiratory PPE is provided, use cartridges for organic vapors or as recommended by respirator supplier or qualified individual.

Recommended Hygiene Practices:

Do not eat or drink while handling this product.

Do not smoke while handling this product.

Wash hands thoroughly with soap and water before breaks and end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Pale viscous liquid.

Auto-Ignition Temperature: No data available.

Boiling Point: No data available.

Decomposition: No data available.

Evaporation Rate: No data available.

Explosion Limits: No data available.

Flammability: Not flammable or combustible.

Flash Point: 350°F (177°C)

Melting Point: No data available.

Odor: Pleasant odor.

Odor Threshold: No data available.

Partition Coefficient: No data available.

pH: 8.0-8.5

Solubility: Soluble in water. Soluble in some solvents and alcohols.

443005
Kitchen Cabinet Cream

Stability: Stable at recommended storage temperature.

Vapor Density: 1 (Air =1).

Vapor Pressure: No data available.

Dynamic Viscosity: 15,000-20,000 cps.

Specific Gravity: 0.97

Density (lbs/gal): 8.09

10. STABILITY AND REACTIVITY

Stability:

Stable under recommended storage and handling conditions.

Reactivity:

None identified when handled and stored under recommended conditions.

Hazardous Reactions:

May react with strong acids and caustics and their mixtures.

Conditions to Avoid:

None identified during recommended handling & storage.

Incompatible Materials:

Avoid contact with other strong acids, oxidizing agents and caustics.

Hazardous Decomposition Products:

May include, and are not limited to oxides of carbon and nitrogen.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

No data available for product.

Mineral Oil 8042-47-5

Oral LD50 - Rat - >5,000 mg/kg

Dermal LD50 - Rabbit – No data available.

Inhalation LC50 - Rat - 4h – No data available.

Eye Damage/Irritation:

Can cause minor eye irritation.

Skin Corrosion/Irritation:

May cause minor skin irritation.

Sensitization:

Skin: Not expected to cause allergic skin reactions.

Respiratory: May cause respiratory irritation.

Repeated Dose Toxicity:

The following organs may be affected: eyes, skin, mouth, throat, respiratory system & lungs.

Chronic Toxicity:

IARC: No components in concentrations greater than 0.1% are listed.

NTP: No components in concentrations greater than 0.1% are listed.

OSHA: No components in concentrations greater than 0.1% are listed.

443005
Kitchen Cabinet Cream

Source Classifications

IARC	International Agency for Research on Cancer
	1 - Carcinogenic to humans 2A - Probably carcinogenic to humans 2B - Possibly carcinogenic to humans 3 - Not classifiable 4 - Probably not carcinogenic to humans
NTP	National Toxicology Program
	1 - Evidence of Carcinogenicity 2 - Known Human Carcinogens 3 - Reasonably anticipated to be Human Carcinogen 4 - Substances delisted from report on Carcinogens 5 - Twelfth Report - Items under consideration

Developmental Toxicity:

No data on birth defects at component concentrations used in this product.

Reproductive Toxicity:

No data available for component concentrations used in product.

Genetic Toxicology:

No data available for component concentrations used in product.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available for product.

Mineral Oil 8042-47-5

Toxicity to fish LC50 - 96h - >10,000 mg/L

Environmental Persistence/Degradation:

No data available for product.

Bioaccumulation Potential:

Octanol-water partition: No data available.

Bioconcentration factor (BCF): No data available.

Potential Movement from Soil to Groundwater:

Potential for product or its components to move from the soil to the groundwater. No data available.

Generally, liquid phase of product may move through soil to groundwater interface. Liquid phase components may dissolve in groundwater and/or float on top of it.

Other Adverse Effects:

Environmental fate: No data available.

Ozone layer depletion potential: No data available.

Photochemical ozone creation potential: No data available.

Endocrine disruption potential: No data available.

Global Warning Potential: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Treatment:

Dispose of in accordance with applicable national, regional and local regulations.

Contact a licensed hazardous waste disposal service to dispose of this material. properly

Do not landfill waste product without treatment according to applicable regulations.

443005
Kitchen Cabinet Cream

14. TRANSPORT INFORMATION

USDOT: Not regulated.
IMDG: Not regulated as dangerous goods.
IATA: Not regulated as dangerous goods.

Special Transportation Precautions:

No special precautions required during normal transport and handling.

Marine Pollutant:

Not a marine pollutant.

15. REGULATORY INFORMATION

The following chemical(s) are subject to reporting requirements of Proposition 65:

Component	Wt %
This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.	

The following chemical(s) are subject to reporting requirements of SARA Title III Section 313:

Component	Wt %
This product does not contain components regulated under Section 313.	

The following chemical(s) are regulated as Hazardous Air Pollutants (HAPs):

Component	Wt %
This product does not contain components regulated as Hazardous Air Pollutants.	

US TSCA Inventory:

The components in this product are on the inventory.

Canadian Domestic Substances List (DSL):

This product contains components on the list.

Hazard Warnings:

NFPA Health 1 Flammability 0 Instability 0
HMIS Health 1 Flammability 0 Physical 0

16. OTHER INFORMATION

User Responsibility and Disclaimer of Liability:

This document has been prepared in accordance with the OSHA Hazard Communication Standard 2012. The information contained in this Safety Data Sheet is furnished without warranty of any kind, expressed or implied. Information in this Safety Data Sheet has been assembled by the manufacturer based on its own studies and on the work of others and is believed to be correct as of the date issued. However, no warranty of any kind is expressed or implied as to the accuracy, completeness, or adequacy of the information obtained herein. The Manufacturer will not be liable, regardless of fault, to the vendee, the vendee's employees, or anyone for any direct, special or consequential damages arising out of, or in connection with, the accuracy, completeness, or adequacy of the information obtained herein. It is intended to assist in the normal safe usage of the product.

Health & Safety:

Users should consider these data only as a supplement to user's own workplace risk assessment. Users must make independent determinations of suitability and completeness of information from all sources to assure proper product use; print applications; safety and health of employees and customers; disposal of waste product; and protection of the environment. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist when the customer uses the product. All chemical products present unknown chemical, physical


443005
Kitchen Cabinet Cream

and health hazards that should be used with caution.

Product Storage:

This product will remain stable for use if the original container is properly sealed, stored upright, and not exposed to temperatures below 65°F and above 90°F or otherwise noted on the container instructions.

Revision Date: January 1, 2020



1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier					
Thomasville Furniture Repair Kit					
Product Use					
No information available.					
Item No:					
No information available.					
Manufacturer's Name			Supplier's Name		
NINGBO CHIHAN INTERNATIONAL CO., LTD.			PARKER & BAILEY CORP.		
Street Address			Street Address		
Room 801, Block B, Global Center, No.42, Yaohang Street, Ningbo			4 WALPOLE PARK SOUTH		
City	Province	Contact person	City	MA	Contact person
Ningbo	Zhejiang	KEVIN	WALPOLE		DENNIS
Postal Code	Emergency Telephone	Postal Code	Emergency Telephone		
315020	86-574-87641411	23451	800 4466 350		

2. COMPOSITION/INFORMATION ON INGREDIENTS

1. Furniture Repair Sticks-White

Chemical name	Value (%)	CAS No.	GHSCLAS
Paraffin Wax	35	8002-74-2	No data available
Stearic Acid	45	57-11-4	No data available
Calcium Carbonate	10	471-34-1	No data available
Titanium Dioxide	10	13463-67-7	No data available

2. Furniture Repair Sticks- Dark Brown

Chemical name	Value (%)	CAS No.	GHSCLAS
Paraffin Wax	35	8002-74-2	No data available
Stearic Acid	45	57-11-4	No data available
Calcium Carbonate	10	471-34-1	No data available
Titanium Dioxide	1	13463-67-7	No data available
Fast Yellow G	8	2512-29-0	No data available
Carbon Black	1	1333-86-4	No data available

3. Furniture Repair Sticks-Mid Brown

Chemical name	Value (%)	CAS No.	GHSCLAS

SAFETY DATA SHEET

Page 2 of 12

Revision:3

Feb.25, 2016

Furniture Repair Kit

TS2016021918



Paraffin Wax	35	8002-74-2	No data available
Stearic Acid	45	57-11-4	No data available
Calcium Carbonate	10	471-34-1	No data available
Titanium Dioxide	1	13463-67-7	No data available
Fast Yellow G	1	2512-29-0	No data available
C.I.Pigment Red 21	1	6410-26-0	No data available
Iron Oxide Red	6	1309-37-1	No data available
Carbon Black	1	1333-86-4	No data available

4. Furniture Repair Sticks-Light Brown

Chemical name	Value (%)	CAS No.	GHSCLAS
Paraffin Wax	35	8002-74-2	No data available
Stearic Acid	45	57-11-4	No data available
Calcium Carbonate	10	471-34-1	No data available
Titanium Dioxide	1	13463-67-7	No data available
Fast Yellow G	1	2512-29-0	No data available
C.I.Pigment Red 21	1	6410-26-0	No data available
Iron Oxide Red	5	1309-37-1	No data available
Carbon Black	2	1333-86-4	No data available

5. Furniture Repair Sticks-Black

Chemical name	Value (%)	CAS No.	GHSCLAS
Paraffin Wax	35	8002-74-2	No data available
Stearic Acid	45	57-11-4	No data available
Calcium Carbonate	10	471-34-1	No data available
Carbon Black	10	1333-86-4	No data available

6. Furniture Repair Marker-Oak

Chemical name	Value (%)	CAS No.	GHSCLAS
Ethanol	51.00	64-17-5	Flam. Liq. 2, H225
1-Methoxy-2-propanol	32.00	107-98-2	Flam. Liq. 3, H226 STOT SE 3, H336
Formaldehyde, polymer with cyclohexanone	15.00	25054-06-2	No data available.
Solvent yellow 21	1.50	5601-29-6	No data available.

SAFETY DATA SHEET

Page 3 of 12

Revision:3

Feb.25, 2016

Furniture Repair Kit

TS2016021918



Hydrogen bis[2,4-dihydro-4-[(2-hydroxy-4-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onato]chromate	0.30	33270-70-1	No data available.
Solvent Black 27	0.20	12237-22-8	No data available.

7. Furniture Repair Marker-Maple

Chemical name	Value (%)	CAS No.	GHSCLAS
Ethanol	47.70	64-17-5	Flam. Liq. 2, H225
1-Methoxy-2-propanol	32.80	107-98-2	Flam. Liq. 3, H226 STOT SE 3, H336
Formaldehyde, polymer with cyclohexanone	15.00	25054-06-2	No data available.
Solvent yellow 21	3.00	5601-29-6	No data available.
Hydrogen bis[2,4-dihydro-4-[(2-hydroxy-4-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onato]chromate	1.00	33270-70-1	No data available.
Solvent Black 27	0.50	12237-22-8	No data available.

8. Furniture Repair Marker-Mahogany

Chemical name	Value (%)	CAS No.	GHSCLAS
Ethanol	47.50	64-17-5	Flam. Liq. 2, H225
1-Methoxy-2-propanol	32.00	107-98-2	Flam. Liq. 3, H226 STOT SE 3, H336
Formaldehyde, polymer with cyclohexanone	15.00	25054-06-2	No data available.
Solvent yellow 21	3.00	5601-29-6	No data available.
Hydrogen bis[2,4-dihydro-4-[(2-hydroxy-4-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onato]chromate	1.50	33270-70-1	No data available.
Solvent Black 27	1.00	12237-22-8	No data available.

3. HAZARDS IDENTIFICATION

SAFETY DATA SHEET

Page 4 of 12

Revision:3

Feb.25, 2016

Furniture Repair Kit

TS2016021918



Route of Entry

Skin contact Skin Absorption Eye Contact Inhalation Ingestion

Emergency Overview

Thermal decomposition can lead to release of irritating gases and vapors.

Potential Health Effects

Harmful by inhalation, if swallowed. May cause skin, eyes irritation.

4. FIRST AID MEASURES

Inhalation :

IMMEDIATELY leave the contaminated area; take deep breaths of fresh air. If symptoms (such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest) develop, call a physician and be prepared to transport the victim to a hospital. Provide proper respiratory protection to rescuers entering an unknown atmosphere. Whenever possible, Self-Contained Breathing Apparatus (SCBA) should be used.

Skin contact :

IMMEDIATELY flood affected skin with water while removing and isolating all contaminated clothing. Gently wash all affected skin areas thoroughly with soap and water. If symptoms such as redness or irritation develop, IMMEDIATELY call a physician and be prepared to transport the victim to a hospital for treatment.

Eye contact:

First check the victim for contact lenses and remove if present. Flush victim's eyes with water or normal saline solution for 20 to 30 minutes while simultaneously calling a hospital or poison control center. Do not put any ointments, oils, or medication in the victim's eyes without specific instructions from a physician. IMMEDIATELY transport the victim after flushing eyes to a hospital even if no symptoms (such as redness or irritation) develop.

Ingestion :

This substance can be eaten. DO NOT INDUCE VOMITING. If the victim is conscious and not convulsing, give 1 or 2 glasses of water to dilute the chemical and IMMEDIATELY call a hospital or poison control center. Be prepared to transport the victim to a hospital if advised by a physician.

Notes to Physician:

Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

SAFETY DATA SHEET

Page 5 of 12

Revision:3

Feb.25, 2016

Furniture Repair Kit

TS2016021918



Flammable

yes No

If yes, under which conditions?
High temperature or normal ignition.

Suitable extinguishing media:

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Water Spray.

Flashpoint(°C)and Method

Not available.

Upper Flammable Limit(%by volume)

Not available.

Lower Flammable Limit(%by volume)

Not available.

Autoignition Temperature(°C)

Not available.

Explosion Data-Sensitivity to Impact

No data available

Explosion Data-Sensitivity to Static Discharge

Risks of explosion of the product in presence of static discharge: Not expected

Hazardous Combustion Products

Carbon monoxide, Carbon dioxide

[NFPA]

As in any fire, wear a self-contained breathing apparatus in pressure-demand, and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions :

Use proper personal protective equipment as indicated in Section 8. Keep unprotected person away.

Environmental precautions:

Don't allow to enter ground water. Don't allow material to be released to the environment without proper governmental permits.

Methods for cleaning up :

Pick up with inert absorbent material, and then transfer the dampened material to a suitable container. Keep the container in suitable, closed containers for disposal. Wash all contaminated surfaces with a soap and water solution.

7. HANDLING AND STORAGE

Handling:

All chemicals should be considered hazardous. Avoid direct physical contact. Use appropriate, approved safety equipment. Untrained individuals should not handle this chemical or its container. Ensure good ventilation at the workplace and avoid contact with skin and eyes.

SAFETY DATA SHEET	Page 6 of 12
	Revision:3
	Feb.25, 2016
Furniture Repair Kit	TS2016021918



<p>Storage: Keep in a cool, dry, dark location in a tightly sealed container or cylinder. To maintain product quality, do not store in heat or direct sunlight. Keep away from incompatible materials, ignition sources and untrained individuals. Secure and label area. Protect containers/cylinders from physical damage. Store away from foodstuffs and out of the reach of children.</p>
<p>Specific use(s): No information available.</p>

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

SAFETY DATA SHEET

Page 7 of 12

Revision:3

Feb.25, 2016

Furniture Repair Kit

TS2016021918



Exposure Limits

ACGIH TLV OSHA PEL Other(specify)

Component	The United Kingdom	France	Spain	Norway
Paraffin Wax(8002-74-2)	STEL: 6 mg/m ³ TWA: 2 mg/m ³	VME: 2 mg/m ³	VLA-ED: 2 mg/m ³	TWA: 2 mg/m ³
Component	Russia - TWA	France	Spain	Norway
Stearic Acid (57-11-4)	MAC: 5 mg/m ³	No data available.	No data available.	No data available.
Component	France	Spain	Poland	Russia - TWA
Calcium Carbonate (471-34-1)	VME: 10 mg/m ³ 8 heures.	VLA-ED: 10 mg/m ³ 8 horas	TWA: 10 mg/m ³ 8 godzinach	No data available.
Component	The United Kingdom	France	Spain	Austria
Titanium Dioxide (13463-67-7)	STEL: 30 mg/m ³ 15 min STEL: 12 mg/m ³ 15 min TWA: 10 mg/m ³ 8 hr TWA: 4 mg/m ³ 8 hr	VME: 10 mg/m ³ 8 heures. Ti	VLA-ED: 10 mg/m ³ 8 horas	STEL: 10 mg/m ³ 15 Minuten TWA: 5 mg/m ³ 8 Stunden
Component	France	Germany	Spain	Russia - TWA
Carbon Black (1333-86-4)	INRS: 3.5 mg/m ³ , TWA/VME inhalable	TRGS 900: 3.0 mg/m ³ , TWA respirable; 10.0 mg/m ³ , TWA inhalable	3.5 mg/m ³ , TWA (VLA-ED)	No data available.
Iron Oxide Red (1309-37-1)	STEL: 10 mg/m ³ TWA: 4 mg/m ³	VME: 5 mg/m ³	VLA-ED: 5 mg/m ³	STEL: 10 mg/m ³ MAK: 5 mg/m ³
Component	The United Kingdom	France	Russia - TWA	Spain
Ethanol (64-17-5)	TWA: 1000 ppm TWA TWA1920 mg/m ³ WEL - STEL: 3000ppm STEL; 5760 mg/m ³ STEL	VME: 1000 ppm 8 eures. VME: 1900 mg/m ³ 8 ures. VLCT: 5000 ppm VLCT: 9500 mg/m ³	TWA: 1000 mg/m ³ STEL: 2000 mg/m ³ vapor	VLA-ED: 1000 ppm 8horas VLA-ED: 1910 mg/m ³ 8horas
Component	European Union	The United Kingdom	France	Spain
1-Methoxy-2-propanol (107-98-2)	TWA: 100 ppm 8 hr TWA: 375 mg/m ³ 8 hr STEL: 150 ppm 15 min STEL: 568 mg/m ³ 15 in	STEL: 150 ppm 15 min STEL: 560 mg/m ³ 15min TWA: 100 ppm 8 hr TWA: 375 mg/m ³ 8 hr kin	VME: 50 ppm 8 heures restrictive limit VME: 188 mg/m ³ 8heures. restrictive limit VLCT: 100 ppm VLCT: 375 mg/m ³ kin	VLA-ED: 5 ppm 8 hora VLA-ED: 19 mg/m ³ 8horas

SAFETY DATA SHEET

Page 8 of 12

Revision:3

Feb.25, 2016

Furniture Repair Kit

TS2016021918



Biological limit values:

Component	Switzerland	Spain	Germany
1-Methoxy-2-propanol (107-98-2)	1-Methoxypropanol-2: 20 mg/L urine end of shift	No data available.	No data available.

Specific Engineering Controls(such as ventilation, enclosed process)
Maintain good ventilation

Personal Protective Equipment)

Gloves Respirator Eye Footwear Clothing Other

If checked, please specify type

Hand protection: Wear appropriate protective gloves.

Feet: Safety slip proof shoes in areas where spills or leaks can occur.

Eye protection: Safety glasses with side-shields.

Skin and body protection: Wear impervious clothing and boots. Remove and wash contaminated clothing before re-use.

Respiratory protection: Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice. When using, do not eat, drink or smoking.

Environmental exposure controls: Do not allow material to be released to the environment without proper governmental permits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State No data available.	Odour and Appearance No data available./White,Dark Brown,Mid Brown, Light Brown,Black,Oak,Maple,Mahogany.	Odour Threshold(ppm) No data available.
Specific Gravity(water=1) No data available.	Vapour density(air=1) No data available.	Vapour pressure(mmHg) No data available.
Evaporation rate No data available.	Boiling point(°C) No data available.	Freezing Point(°C) No data available.
pH No data available.	Coefficient of water/Oil Distribution No data available.	Solubility in Water No data available.

10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

Page 9 of 12

Revision:3

Feb.25, 2016

Furniture Repair Kit

TS2016021918



Chemical Stability <input checked="" type="checkbox"/> yes <input type="checkbox"/> No	If no, under which conditions? Stable under normal temperatures and pressures.
Incompatibility with other substances <input checked="" type="checkbox"/> yes <input type="checkbox"/> No	If yes, which ones? Combustible material. Strong acid .Strong oxidizing agents.
Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition, Incompatible products.	
Hazardous decomposition products Carbon monoxide, Carbon dioxide.	

11. TOXICOLOGICAL INFORMATION

Effects of Acute Exposure:			
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Paraffin Wax(8002-74-2)	3750 mg/kg (Rat)	3600 mg/kg (Rabbit)	No data available
Stearic Acid(57-11-4)	No data available	5 g/kg (Rabbit)	No data available
Calcium Carbonate (471-34-1)	6450 mg/kg (Rat)	No data available	No data available
Titanium Dioxide (13463-67-7)	10000 mg/kg (Rat)	No data available	No data available
Carbon Black(1333-86-4)	> 8000 mg/kg	No data available.	No data available.
Iron Oxide Red(1309-37-1)	10000 mg/kg (Rat)	No data available	No data available
Ethanol (64-17-5)	7060 mg/kg (Rat)	No data available	20000 ppm/10H (Rat)
1-Methoxy-2-propanol (107-98-2)	5200 mg/kg (Rat)	13000 mg/kg (Rabbit)	54.6 mg/L (Rat) 4 h 24 mg/L (Rat) 1 h
Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen.			
Component	IARC	UK	
Titanium Dioxide(13463-67-7)	Group 2B	No data available.	
Ethanol (64-17-5)	Group 1	No data available.	
Effects of Chronic Exposure: No information available.			
Irritancy of Product No information available.			
Skin Sensitization May cause skin irritation.	Respiratory Sensitization No information available.		

SAFETY DATA SHEET

Page 10 of 12

Revision:3

Feb.25, 2016

Furniture Repair Kit

TS2016021918



Reproductive Toxicity

Experiments have shown reproductive toxicity effects on laboratory animals.

Mutagenicity

Mutagenic effects have occurred in experimental animals.

Name of Synergistic Products/Effects

No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Carbon Black (1333-86-4)	EC50 (72hr) > 10,000 mg/L NOEC >= 10,000 mg/L	LC50 (96hr) > 1,000mg/L	No data available.	EC50 (24hr) > 5,600 mg/L
Ethanol (64-17-5)	No data available	Leucidus idus: LC50 = 8.14 mg/L/48h	Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min	EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h
1-Methoxy-2-propanol (107-98-2)	No data available	4600-10000 mg/L LC50 96h 20.8 g/L LC50 96 h	No data available	23300 mg/L EC50 = 48 h

Persistence and degradability:

No information available.

Bioaccumulative potential:

Component	log Pow	Bioconcentration factor (BCF)
Ethanol (64-17-5)	-0.32	No data available
1-Methoxy-2-propanol(107-98-2)	-0.437	No data available

Mobility in soils:

No information available.

Results of PBT assessment:

No information available.

SAFETY DATA SHEET

Furniture Repair Kit

Page 11 of 12

Revision:3

Feb.25, 2016

TS2016021918



Other adverse effects:
No information available.

13. DISPOSAL CONSIDERATIONS

Specify the appropriate methods of disposal of both the substance or mixture and any contaminated packaging:
Dispose of in a manner consistent with federal, state, and local regulations.

Waste treatment methods

Waste from Residues / Unused Products: Smaller quantities can be disposed of with household waste. Dispose of in accordance with local regulations.

Contaminated Packaging: Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

Special Shipping Information

ICAO
Not regulated.

PIN
No data available.

TDG
Not regulated.

DOT
Not regulated.

IMO
Not regulated.

15. REGULATORY INFORMATION

WHMIS Classification
No information available

OSHA
No information available

SERA
No information available



TSCA
No information available

16. OTHER INFORMATION

SAFETY DATA SHEET	Page 12 of 12
	Revision:3
	Feb.25, 2016
Furniture Repair Kit	TS2016021918



Label Elements

Signal Word Code(s): **Danger.**

Hazard Statement Code(s):
H225 - Highly flammable liquid and vapour.
H226 - Flammable liquid and vapor
H336- May cause drowsiness or dizziness.

Precautionary statements:
P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray
P270 - Do not eat, drink or smoke when using this product.

DISCLAIMER OF LIABILITY The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document



SAFETY DATA SHEET	Page 2 of 12
	Revision:3
	Feb.25, 2016
Furniture touch up marker	TS2016021918
<i>Thomasville</i> WOOD CARE SAFETY DATA SHEET	Page 1 of 12
	Revision:3
	Feb.25, 2016
Touch up marker	TS2016021918

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Thomasville Furniture Touch up marker					
Product Use No information available.					
Item No: No information available.					
Manufacturer's Name NINGBO CHIHAN INTERNATIONAL CO., LTD.			Supplier's Name PARKER & BAILEY CORP.		
Street Address Room 801, Block B, Global Center, No.42, Yaohang Street, Ningbo			Street Address 4 WALPOLE PARK SOUTH		
City Ningbo	Province Zhejiang	Contact person KEVIN	City WALPOLE	MA	Contact person DENNIS
Postal Code 315020	Emergency Telephone 86-574-87641411		Postal Code 23451	Emergency Telephone 800 4466 350	

2. COMPOSITION/INFORMATION ON INGREDIENTS

1. Furniture Repair Marker-Oak

Chemical name	Value (%)	CAS No.	GHSCLAS
Ethanol	51.00	64-17-5	Flam. Liq. 2, H225
1-Methoxy-2-propanol	32.00	107-98-2	Flam. Liq. 3, H226 STOT SE 3, H336
Formaldehyde, polymer with cyclohexanone	15.00	25054-06-2	No data available.
Solvent yellow 21	1.50	5601-29-6	No data available.

SAFETY DATA SHEET

Page 3 of 12

Revision:3

Feb.25, 2016

Furniture touch up marker

TS2016021918



Hydrogen bis[2,4-dihydro-4-[(2-hydroxy-4-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onto]chromate	0.30	33270-70-1	No data available.
Solvent Black 27	0.20	12237-22-8	No data available.

2. Furniture Repair Marker-Maple

Chemical name	Value (%)	CAS No.	GHSCLAS
Ethanol	47.70	64-17-5	Flam. Liq. 2, H225
1-Methoxy-2-propanol	32.80	107-98-2	Flam. Liq. 3, H226 STOT SE 3, H336
Formaldehyde, polymer with cyclohexanone	15.00	25054-06-2	No data available.
Solvent yellow 21	3.00	5601-29-6	No data available.
Hydrogen bis[2,4-dihydro-4-[(2-hydroxy-4-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onto]chromate	1.00	33270-70-1	No data available.
Solvent Black 27	0.50	12237-22-8	No data available.

3. Furniture Repair Marker-Mahogany

Chemical name	Value (%)	CAS No.	GHSCLAS
Ethanol	47.50	64-17-5	Flam. Liq. 2, H225
1-Methoxy-2-propanol	32.00	107-98-2	Flam. Liq. 3, H226 STOT SE 3, H336
Formaldehyde, polymer with cyclohexanone	15.00	25054-06-2	No data available.
Solvent yellow 21	3.00	5601-29-6	No data available.
Hydrogen bis[2,4-dihydro-4-[(2-hydroxy-4-nitrophenyl)azo]-5-methyl-2-phenyl-3H-pyrazol-3-onto]chromate	1.50	33270-70-1	No data available.
Solvent Black 27	1.00	12237-22-8	No data available.

3. HAZARDS IDENTIFICATION

SAFETY DATA SHEET

Page 4 of 12

Revision:3

Feb.25, 2016

Furniture touch up marker

TS2016021918



Route of Entry

Skin contact Skin Absorption Eye Contact Inhalation Ingestion

Emergency Overview

Thermal decomposition can lead to release of irritating gases and vapors.

Potential Health Effects

Harmful by inhalation, if swallowed. May cause skin, eyes irritation.

4. FIRST AID MEASURES

Inhalation :

IMMEDIATELY leave the contaminated area; take deep breaths of fresh air. If symptoms (such as wheezing, coughing, shortness of breath, or burning in the mouth, throat, or chest) develop, call a physician and be prepared to transport the victim to a hospital. Provide proper respiratory protection to rescuers entering an unknown atmosphere. Whenever possible, Self-Contained Breathing Apparatus (SCBA) should be used.

Skin contact :

IMMEDIATELY flood affected skin with water while removing and isolating all contaminated clothing. Gently wash all affected skin areas thoroughly with soap and water. If symptoms such as redness or irritation develop, IMMEDIATELY call a physician and be prepared to transport the victim to a hospital for treatment.

Eye contact:

First check the victim for contact lenses and remove if present. Flush victim's eyes with water or normal saline solution for 20 to 30 minutes while simultaneously calling a hospital or poison control center. Do not put any ointments, oils, or medication in the victim's eyes without specific instructions from a physician. IMMEDIATELY transport the victim after flushing eyes to a hospital even if no symptoms (such as redness or irritation) develop.

Ingestion :

This substance can be eaten. DO NOT INDUCE VOMITING. If the victim is conscious and not convulsing, give 1 or 2 glasses of water to dilute the chemical and IMMEDIATELY call a hospital or poison control center. Be prepared to transport the victim to a hospital if advised by a physician.

Notes to Physician:

Show this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

SAFETY DATA SHEET

Page 5 of 12

Revision:3

Feb.25, 2016

Furniture touch up marker

TS2016021918



Flammable

yes No

If yes, under which conditions?

High temperature or normal ignition.

Suitable extinguishing media:

Fires involving this material can be controlled with a dry chemical, carbon dioxide or Water Spray.

Flashpoint(°C)and Method

Not available.

Upper Flammable Limit(%by volume)

Not available.

Lower Flammable Limit(%by volume)

Not available.

Autoignition Temperature(°C)

Not available.

Explosion Data-Sensitivity to Impact

No data available

Explosion Data-Sensitivity to Static Discharge

Risks of explosion of the product in presence of static discharge: Not expected

Hazardous Combustion Products

Carbon monoxide, Carbon dioxide

[NFPA]

As in any fire, wear a self-contained breathing apparatus in pressure-demand, and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions :

Use proper personal protective equipment as indicated in Section 8. Keep unprotected person away.

Environmental precautions:

Don't allow to enter ground water. Don't allow material to be released to the environment without proper governmental permits.

Methods for cleaning up :

Pick up with inert absorbent material, and then transfer the dampened material to a suitable container. Keep the container in suitable, closed containers for disposal. Wash all contaminated surfaces with a soap and water solution.

7. HANDLING AND STORAGE

Handling:

All chemicals should be considered hazardous. Avoid direct physical contact. Use appropriate, approved safety equipment. Untrained individuals should not handle this chemical or its container. Ensure good ventilation at the workplace and avoid contact with skin and eyes.

SAFETY DATA SHEET	Page 6 of 12
	Revision:3
	Feb.25, 2016
Furniture touch up marker	TS2016021918



<p>Storage: Keep in a cool, dry, dark location in a tightly sealed container or cylinder. To maintain product quality, do not store in heat or direct sunlight. Keep away from incompatible materials, ignition sources and untrained individuals. Secure and label area. Protect containers/cylinders from physical damage. Store away from foodstuffs and out of the reach of children.</p>
<p>Specific use(s): No information available.</p>

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

SAFETY DATA SHEET

Page 7 of 12

Revision:3

Feb.25, 2016

Furniture touch up marker

TS2016021918



Exposure Limits

ACGIH TLV

OSHA PEL

Other(specify)

Component	The United Kingdom	France	Spain	Norway
Component	European Union	The United Kingdom	France	Spain
1-Methoxy-2-propanol (107-98-2)	TWA: 100 ppm 8 hr TWA: 375 mg/m ³ 8 hr STEL: 150 ppm 15 min STEL: 568 mg/m ³ 15 in	STEL: 150 ppm 15 min STEL: 560 mg/m ³ 15min TWA: 100 ppm 8 hr TWA: 375 mg/m ³ 8 hr kin	VME: 50 ppm 8 heures restrictive limit VME: 188 mg/m ³ 8heures. restrictive limit VLCT: 100 ppm VLCT: 375 mg/m ³ kin	VLA-ED: 5 ppm 8 hora VLA-ED: 19 mg/m ³ 8horas

SAFETY DATA SHEET

Page 8 of 12

Revision:3

Feb.25, 2016

Furniture touch up marker

TS2016021918



Biological limit values:

Component	Switzerland	Spain	Germany
1-Methoxy-2-propanol (107-98-2)	1-Methoxypropanol-2: 20 mg/L urine end of shift	No data available.	No data available.

Specific Engineering Controls(such as ventilation, enclosed process)
Maintain good ventilation

Personal Protective Equipment)

Gloves Respirator Eye Footwear Clothing Other

If checked, please specify type

Hand protection: Wear appropriate protective gloves.

Feet: Safety slip proof shoes in areas where spills or leaks can occur.

Eye protection: Safety glasses with side-shields.

Skin and body protection: Wear impervious clothing and boots. Remove and wash contaminated clothing before re-use.

Respiratory protection: Follow the OSHA respirator regulations found in 29 CFR 1910.134. Use a NIOSH/MSHA approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice. When using, do not eat, drink or smoking.

Environmental exposure controls: Do not allow material to be released to the environment without proper governmental permits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State No data available.	Odour and Appearance No data available./White,Dark Brown,Mid Brown, Light Brown,Black,Oak,Maple,Mahogany.	Odour Threshold(ppm) No data available.
Specific Gravity(water=1) No data available.	Vapour density(air=1) No data available.	Vapour pressure(mmHg) No data available.
Evaporation rate No data available.	Boiling point(°C) No data available.	Freezing Point(°C) No data available.
pH No data available.	Coefficient of water/Oil Distribution No data available.	Solubility in Water No data available.

10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

Page 9 of 12

Revision:3

Feb.25, 2016

Furniture touch up marker

TS2016021918



Chemical Stability <input checked="" type="checkbox"/> yes <input type="checkbox"/> No	If no, under which conditions? Stable under normal temperatures and pressures.
Incompatibility with other substances <input checked="" type="checkbox"/> yes <input type="checkbox"/> No	If yes, which ones? Combustible material. Strong acid .Strong oxidizing agents.
Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition, Incompatible products.	
Hazardous decomposition products Carbon monoxide, Carbon dioxide.	

11. TOXICOLOGICAL INFORMATION

Effects of Acute Exposure:

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Paraffin Wax(8002-74-2)	3750 mg/kg (Rat)	3600 mg/kg (Rabbit)	No data available
Stearic Acid(57-11-4)	No data available	5 g/kg (Rabbit)	No data available
Calcium Carbonate (471-34-1)	6450 mg/kg (Rat)	No data available	No data available
Titanium Dioxide (13463-67-7)	10000 mg/kg (Rat)	No data available	No data available
Carbon Black(1333-86-4)	> 8000 mg/kg	No data available.	No data available.
Iron Oxide Red(1309-37-1)	10000 mg/kg (Rat)	No data available	No data available
Ethanol (64-17-5)	7060 mg/kg (Rat)	No data available	20000 ppm/10H (Rat)
1-Methoxy-2-propanol (107-98-2)	5200 mg/kg (Rat)	13000 mg/kg (Rabbit)	54.6 mg/L (Rat) 4 h 24 mg/L (Rat) 1 h

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	IARC	UK
Titanium Dioxide(13463-67-7)	Group 2B	No data available.
Ethanol (64-17-5)	Group 1	No data available.

Effects of Chronic Exposure:

No information available.

Irritancy of Product

No information available.

Skin Sensitization

May cause skin irritation.

Respiratory Sensitization

No information available.

SAFETY DATA SHEET

Page 10 of 12

Revision:3

Feb.25, 2016

Furniture touch up marker

TS2016021918



Reproductive Toxicity

Experiments have shown reproductive toxicity effects on laboratory animals.

Mutagenicity

Mutagenic effects have occurred in experimental animals.

Name of Synergistic Products/Effects

No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Carbon Black (1333-86-4)	EC50 (72hr) > 10,000 mg/L NOEC >= 10,000 mg/L	LC50 (96hr) > 1,000mg/L	No data available.	EC50 (24hr) > 5,600 mg/L
Ethanol (64-17-5)	No data available	Leucidus idus: LC50 = 8.14 mg/L/48h	Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min	EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h
1-Methoxy-2-propanol (107-98-2)	No data available	4600-10000 mg/L LC50 96h 20.8 g/L LC50 96 h	No data available	23300 mg/L EC50 = 48 h

Persistence and degradability:

No information available.

Bioaccumulative potential:

Component	log Pow	Bioconcentration factor (BCF)
Ethanol (64-17-5)	-0.32	No data available
1-Methoxy-2-propanol(107-98-2)	-0.437	No data available

Mobility in soils:

No information available.

Results of PBT assessment:

No information available.

SAFETY DATA SHEET

Page 11 of 12

Revision:3

Feb.25, 2016

Furniture touch up marker

TS2016021918



Other adverse effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Specify the appropriate methods of disposal of both the substance or mixture and any contaminated packaging:
Dispose of in a manner consistent with federal, state, and local regulations.

Waste treatment methods

Waste from Residues / Unused Products: Smaller quantities can be disposed of with household waste. Dispose of in accordance with local regulations.

Contaminated Packaging: Empty containers should be taken for local recycling, recovery or waste disposal.

14. TRANSPORT INFORMATION

Special Shipping Information

ICAO

Not regulated.

PIN

No data available.

TDG

Not regulated.

DOT

Not regulated.

IMO

Not regulated.

15. REGULATORY INFORMATION

WHMIS Classification

No information available

OSHA

No information available

SERA

No information available

TSCA

No information available

16. OTHER INFORMATION

SAFETY DATA SHEET

Page 12 of 12

Revision:3

Feb.25, 2016

Furniture touch up marker

TS2016021918



Label Elements



Signal Word Code(s): **Danger**.

Hazard Statement Code(s):

H225 - Highly flammable liquid and vapour.

H226 - Flammable liquid and vapor

H336- May cause drowsiness or dizziness.

Precautionary statements:

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P270 - Do not eat, drink or smoke when using this product.

DISCLAIMER OF LIABILITY The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document